

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:SSPTAJHM1624

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JUN 06	EPFULL enhanced with 260,000 English abstracts
NEWS	3	JUN 06	KOREAPAT updated with 41,000 documents
NEWS	4	JUN 13	USPATFULL and USPAT2 updated with 11-character patent numbers for U.S. applications
NEWS	5	JUN 19	CAS REGISTRY includes selected substances from web-based collections
NEWS	6	JUN 25	CA/CAPLUS and USPAT databases updated with IPC reclassification data
NEWS	7	JUN 30	AEROSPACE enhanced with more than 1 million U.S. patent records
NEWS	8	JUN 30	EMBASE, EMBAL, and LEMBASE updated with additional options to display authors and affiliated organizations
NEWS	9	JUN 30	STN on the Web enhanced with new STN AnaVist Assistant and BLAST plug-in
NEWS	10	JUN 30	STN AnaVist enhanced with database content from EPFULL
NEWS	11	JUL 28	CA/CAPLUS patent coverage enhanced
NEWS	12	JUL 28	EPFULL enhanced with additional legal status information from the epline Register
NEWS	13	JUL 28	IFICDB, IFIPAT, and IFIUDB reloaded with enhancements
NEWS	14	JUL 28	STN Viewer performance improved
NEWS	15	AUG 01	INPADOCDB and INPAFAMDB coverage enhanced
NEWS	16	AUG 13	CA/CAPLUS enhanced with printed Chemical Abstracts page images from 1967-1998
NEWS	17	AUG 15	CAOLD to be discontinued on December 31, 2008
NEWS	18	AUG 15	CAPLUS currency for Korean patents enhanced
NEWS	19	AUG 27	CAS definition of basic patents expanded to ensure comprehensive access to substance and sequence information
NEWS	20	SEP 18	Support for STN Express, Versions 6.01 and earlier, to be discontinued
NEWS	21	SEP 25	CA/CAPLUS current-awareness alert options enhanced to accommodate supplemental CAS indexing of exemplified prophetic substances
NEWS	22	SEP 26	WPIDS, WPINDEX, and WPIX coverage of Chinese and Korean patents enhanced
NEWS	23	SEP 29	IFICLS enhanced with new super search field
NEWS	24	SEP 29	EMBASE and EMBAL enhanced with new search and display fields
NEWS	25	SEP 30	CAS patent coverage enhanced to include exemplified prophetic substances identified in new Japanese-language patents
NEWS	26	OCT 07	EPFULL enhanced with full implementation of EPC2000
NEWS	27	OCT 07	Multiple databases enhanced for more flexible patent number searching

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 17:23:24 ON 15 OCT 2008

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'CAPLUS' ENTERED AT 17:23:38 ON 15 OCT 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 15 Oct 2008 VOL 149 ISS 16

FILE LAST UPDATED: 14 Oct 2008 (20081014/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> us20060160894/pn

US20060160894 IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.

For a list of commands available to you in the current file, enter

"HELP COMMANDS" at an arrow prompt (=>).

=> s us20060160894/pn

L1 1 US20060160894/PN

=> d 11

L1 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
AN 2004:1127319 CAPLUS
DN 142:74357
TI Preparation of new benzamides for use in pharmaceutical compositions as
peroxisome proliferator-activated receptor γ (PPAR γ)
modulators
IN Ferdandez Serrat, Anna; Serra Comas, Carme; Balsa Lopez, Dolors; Llebaria
Soldevila, Amadeu; Farrerons Galleml, Carles; Miquel Bono, Ignacio Jose;
Catena Ruiz, Juan Lorenzo; Lagunas Arnal, Carmen; Cordomi Montoya, Arnau;
Salcedo Roca, Carolina; Toledo Mesa, Natividad; Marrero Gonzalez, Pedro;
Haro Bautista, Diego; Fernandez Garcia, Andres
PA Laboratorios S.A.L.V.A.T., S.A., Spain
SO PCT Int. Appl., 113 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	WO 2004110983	A2	20041223	WO 2004-EP6330	20040611
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2004247389	A1	20041223	AU 2004-247389	20040611
	CA 2528231	A1	20041223	CA 2004-2528231	20040611
	EP 1644321	A2	20060412	EP 2004-739820	20040611
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
	BR 2004011412	A	20060725	BR 2004-11412	20040611
	CN 1835914	A	20060920	CN 2004-80023119	20040611
	JP 2006527233	T	20061130	JP 2006-515904	20040611
	MX 2005PA13653	A	20060224	MX 2005-PA13653	20051213
	US 20060160894	A1	20060720	US 2005-560533	20051213 <--
	IN 2006CN00121	A	20070629	IN 2006-CN121	20060110
PRAI	ES 2003-1461	A	20030613		
	WO 2004-EP6330	W	20040611		
OS	MARPAT 142:74357				

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

3.81

4.02

FILE 'REGISTRY' ENTERED AT 17:24:17 ON 15 OCT 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 14 OCT 2008 HIGHEST RN 1061458-09-0
DICTIONARY FILE UPDATES: 14 OCT 2008 HIGHEST RN 1061458-09-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:


<http://www.cas.org/support/stngen/stndoc/properties.html>

=> tra rn

L2 TRANSFER L1 1- RN : 323 TERMS
L3 323 L2

=> d scan

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN β -Alanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(3-
phenoxyphenyl)methyl]-
MF C39 H38 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):322

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-[2-(2-methoxyphenoxy)ethoxy]benzoyl]-O-(phenylmethyl)-,
methyl ester
MF C33 H33 N O7


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(3-bromophenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C31 H28 Br N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-(2-thienylmethyl)-N-[3-[2-(2-thienylthio)ethoxy]benzoyl]-
 MF C20 H19 N O4 S3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tryptophan, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-5-(
 phenylmethoxy)-
 MF C41 H39 N3 O5

PAGE 1-A




—CH₂—Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, methyl ester, (α S)-
 MF C31 H35 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-(3-methyl-2-oxo-1(2H)-quinoxalinyloxy)]-, methyl ester
 MF C19 H18 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[(4-butylphenyl)methoxy]benzoyl]-N-[3-(phenylmethoxy)phenyl]methyl]-
 MF C35 H37 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-4-(1,1-dimethylethyl)-
 MF C36 H40 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(3-phenoxyphenyl)methyl]-, ethyl ester
 MF C40 H40 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[(2-chlorophenyl)methoxy]benzoyl]-O-(phenylmethyl)-
 MF C30 H26 Cl N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Phenylalanine, 4-bromo-N-[4-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-
 MF C27 H24 Br N3 O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN L-Tyrosine, N-[4-[2-[4-(1H-imidazol-1-yl)phenoxy]ethoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
MF C35 H33 N3 O6

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B

Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-([1,1'-biphenyl]-2-ylmethoxy)benzoyl]-O-(phenylmethyl)-,
methyl ester
MF C37 H33 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[4-[(3-bromophenyl)methoxy]benzoyl]amino]-, (α S)-
 MF C23 H26 Br N O4

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(3-phenoxyphenyl)methyl]-
 MF C38 H36 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(3-

phenoxyphenyl)methyl]-, methyl ester
 MF C40 H40 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[2-[bis(phenylmethyl)amino]ethoxy]-
 MF C23 H23 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, (α S)-
 MF C30 H33 N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-(2-thienylmethyl)-N-[3-[2-(2-thienylthio)ethoxy]benzoyl]-, methyl ester
 MF C21 H21 N O4 S3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(2-ethoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C33 H33 N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzenepropanamide, N-(methoxymethyl)- α -[[4-[2-[(3-methyl-2-
 quinoxalinyloxy]ethoxy]benzoyl]amino]-4-(phenylmethoxy)-, (α S)-
 MF C36 H36 N4 O6

Absolute stereochemistry.




PAGE 1-A

—Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[3-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]benzoyl]-O-(phenylmethyl)-
 MF C34 H31 N3 O6

Absolute stereochemistry.




—Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-(2-pyridinyl)ethoxy]benzoyl]-, methyl
 ester
 MF C31 H30 N2 O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-[benzoyl(phenylmethyl)amino]ethoxy]-
 MF C23 H21 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[4-[(4-butoxyphenyl)methoxy]benzoyl]amino]-, (α S)-
 MF C27 H35 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(3-phenoxyphenyl)methyl]-
 MF C38 H36 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[4-(phenylmethoxy)benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C33 H33 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-[bis(phenylmethyl)amino]ethoxy]-, methyl ester
 MF C24 H25 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-[4-(1H-imidazol-1-yl)phenoxy]ethoxy]benzoyl]-O-(phenylmethyl)-
 MF C34 H31 N3 O6

Absolute stereochemistry.

PAGE 1-A




Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[3-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C35 H33 N3 O6

Absolute stereochemistry.




Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(2-fluorophenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester


MF C31 H28 F N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Tyrosine, N-[4-[2-oxo-2-(phenyl-2-pyridinylamino)ethoxy]benzoyl]-O-(phenylmethyl)-
MF C36 H31 N3 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN beta-Alanine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-
MF C35 H33 N3 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, methyl ester, (α S)-
 MF C31 H35 N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]-
 MF C18 H16 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Phenylalanine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-
 MF C30 H27 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN [1,1'-Biphenyl]-4-propanoic acid, α -[[4-[2-
 [bis(phenylmethyl)amino]ethoxy]benzoyl]amino]-
 MF C38 H36 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[[4-(
 phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C41 H42 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, O-(phenylmethyl)-N-[4-[[2-(
 (trifluoromethyl)phenyl]methoxy]benzoyl]-
 MF C31 H26 F3 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN L-Phenylalanine, 4-fluoro-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-
 MF C30 H26 F N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-(7-quinolinyloxy)ethoxy]benzoyl]-,
 methyl ester
 MF C35 H32 N2 O6

Absolute stereochemistry.

PAGE 1-A



PAGE 1-B




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[3-([1,1'-biphenyl]-4-ylmethoxy)benzoyl]-O-(phenylmethyl)-,
 methyl ester

MF C37 H33 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN L-Tyrosine, N-[4-[2-[bis(phenylmethyl)amino]-2-oxoethoxy]benzoyl]-O-(phenylmethyl)-

MF C39 H36 N2 O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN L-Tyrosine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]benzoyl]-O-(phenylmethyl)-

MF C34 H31 N3 O6

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B

—Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C35 H37 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-(2-pyridinyl)ethoxy]-
 MF C14 H13 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-N-[[4-(phenylmethoxy)phenyl]methyl]-
 MF C34 H35 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-O-(phenylmethyl)-, ethyl ester
 MF C36 H35 N3 O6

Absolute stereochemistry.




PAGE 1-A

PAGE 1-B

—Ph


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[2-[bis(phenylmethyl)amino]-2-oxoethoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C40 H38 N2 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, N-[4-[(4-bromophenyl)methoxy]benzoyl]-
 MF C23 H20 Br N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)-
 MF C37 H33 N O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[3-[2-oxo-2-[(2-phenylethyl)(phenylmethyl)amino]ethoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C41 H40 N2 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(4-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C37 H33 N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(2-chlorophenyl)methoxy]benzoyl]-O-(phenylmethyl)-
 MF C30 H26 Cl N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-([1,1'-biphenyl]-4-ylmethoxy)benzoyl]-O-(phenylmethyl)-
MF C36 H31 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Phenylalanine, 4-bromo-N-[4-[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-,
methyl ester
MF C31 H28 Br N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Benzoic acid, 4-[2-(2-pyridinyl)ethoxy]-, methyl ester
MF C15 H15 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-[(5,6,7,8-tetrahydro-2-naphthalenyl)oxy]ethoxy]benzoyl]-
 MF C35 H35 N O6

Absolute stereochemistry.




PAGE 1-A

—Ph

PAGE 1-B

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β-Alanine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C37 H37 N3 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-[(2-methoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
methyl ester
MF C32 H31 N O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Tyrosine, N-[4-[2-[(2-fluorophenyl)(2-thienylmethyl)amino]-2-oxoethoxy]benzoyl]-O-(phenylmethyl)-
MF C36 H31 F N2 O6 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN β -Alanine, N-[3-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-N-
[[3-(phenylmethoxy)phenyl]methyl]-
MF C35 H33 N3 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzeneacetic acid, α -[[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, methyl ester, (α S)-
 MF C30 H27 N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[2-(2-thienylthio)ethoxy]-
 MF C13 H12 O3 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-(2-quinolinylloxy)ethoxy]benzoyl]-
 MF C34 H30 N2 O6


Absolute stereochemistry.



—Ph


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-3-bromo-
 MF C32 H31 Br N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tryptophan, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-5-(phenylmethoxy)-, methyl ester
 MF C42 H41 N3 O5



—CH₂—Ph


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[(4-butylphenyl)methoxy]-
 MF C18 H20 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β-Alanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-(2-naphthalenylmethyl)-
 MF C37 H36 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-[(1-methyl-1H-imidazol-2-yl)thio]ethoxy]benzoyl]-O-(phenylmethyl)-
 MF C29 H29 N3 O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(4-butoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C35 H37 N O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-[(phenylmethyl)(3-
 pyridinylcarbonyl)amino]ethoxy]benzoyl]-
 MF C38 H35 N3 O6

Absolute stereochemistry.


O=C(N(Cc1ccc(OCCc2ccccc2)cc1)Cc3ccc(OCCN(Cc4ccccc4)CC4)cc3)CC(=O)O

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

CCCC1=CC=C(C=C1)COc2ccc(cc2)C(=O)N(Cc3ccc(cc3)OCC4=CC=CC=C4)C(=O)COC(=O)C


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzeneacetic acid, α -[[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-
 MF C29 H25 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]benzoyl]-O-(phenylmethyl)-
 MF C35 H32 N2 O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[2-[(3-methoxyphenyl)phenylamino]-2-oxoethoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C39 H36 N2 O7



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, 4-bromo-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-
 MF C30 H26 Br N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[3-([1,1'-biphenyl]-4-ylmethoxy)benzoyl]-O-(phenylmethyl)-
 MF C36 H31 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C35 H33 N3 O6

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B

—Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
MF C38 H35 N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-[(2-methylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-
MF C31 H29 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-(2-phenylethoxy)benzoyl]-O-(phenylmethyl)-
 MF C31 H29 N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(3-phenoxyphenyl)methyl]-, methyl ester
 MF C40 H40 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[[4-(phenylmethoxy)phenyl]methoxy]-, methyl ester


MF C22 H20 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Cyclohexanepropanoic acid, α -[[4-[(4-
butylphenyl)methoxy]benzoyl]amino]-, (α S)-
MF C27 H35 N O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Phenylalanine, 4-fluoro-N-[4-[2-[(3-methyl-2-
quinoxalinyloxy)ethoxy]benzoyl]-, methyl ester
MF C28 H26 F N3 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, O-(phenylmethyl)-N-[4-[[2-(trifluoromethyl)phenyl]methoxy]benzoyl]-, methyl ester
MF C32 H28 F3 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Benzenepropanamide, N,N-dimethyl- α -[[4-(2-phenylethoxy)benzoyl]amino]-4-(phenylmethoxy)-, (α S)-
MF C33 H34 N2 O4

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN β -Alanine, N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[4-(phenylmethoxy)phenyl]methyl]-
MF C38 H35 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Phenylalanine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-, methyl ester
 MF C31 H29 N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-[benzoyl(phenylmethyl)amino]ethoxy]-, methyl ester
 MF C24 H23 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-[(4-butoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-
MF C34 H35 N O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Tryptophan, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-5-bromo-
MF C34 H32 Br N3 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN β -Alanine, N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[4-(phenylmethoxy)phenyl]methyl]-, ethyl ester
MF C40 H39 N O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]-
 MF C19 H17 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(4-bromophenyl)methyl]-
 MF C33 H33 Br N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[4-[2-[(2-methoxyphenyl)thio]ethoxy]benzoyl]amino]-, methyl ester, (α S)-
 MF C26 H33 N O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(2-bromophenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C31 H28 Br N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-(3-thienylmethyl)-N-[3-[2-(2-thienylthio)ethoxy]benzoyl]-
 MF C20 H19 N O4 S3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tryptophan, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-5-

(phenylmethoxy)-
 MF C41 H39 N3 O5

PAGE 1-A




PAGE 1-B

—CH₂—Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, methyl ester, (α S)-
 MF C31 H35 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[2-(3-methyl-2-oxo-1(2H)-quinoxalinyloxy)]-, methyl ester
 MF C19 H18 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[(4-butylphenyl)methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-
 MF C34 H35 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN D-Tryptophan, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-
 MF C34 H33 N3 O4

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C41 H42 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[(2-bromophenyl)methoxy]benzoyl]-O-(phenylmethyl)-
 MF C30 H26 Br N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[3-[(4-n-butylphenyl)methoxy]benzoyl]amino]-, (α S)-
 MF C27 H35 N O4

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-(8-quinolinyloxy)ethoxy]benzoyl]-,
methyl ester
MF C35 H32 N2 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-
(phenylmethyl)-, methyl ester
MF C38 H35 N O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, O-(phenylmethyl)-N-[4-[[2-(trifluoromethyl)phenyl]methoxy]benzoyl]-


MF C31 H26 F3 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Glycine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[3-(phenylmethoxy)phenyl]methyl]-
MF C39 H38 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN β -Alanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(4-bromophenyl)methyl]-, methyl ester
MF C34 H35 Br N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Benzoic acid, 4-[2-[bis(phenylmethyl)amino]ethoxy]-
MF C23 H23 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, (α S)-
 MF C30 H33 N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-(3-thienylmethyl)-N-[3-[2-(2-thienylthio)ethoxy]benzoyl]-, methyl ester
 MF C21 H21 N O4 S3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(3-methoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C32 H31 N O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzenepropanamide, N-methoxy- α -[[4-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]benzoyl]amino]-4-(phenylmethoxy)-, (α S)-
 MF C35 H34 N4 O6

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B

— Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-
 MF C38 H35 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzeneacetic acid, α -[[4-[(4-butylphenyl)methoxy]benzoyl]amino]-,
 methyl ester, (α S)-
 MF C27 H29 N O4

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[2-[(phenylmethyl)amino]ethoxy]-, methyl ester
 MF C17 H19 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-(2-pyridinyl)ethoxy]benzoyl]-
 MF C30 H28 N2 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)-
 MF C37 H33 N O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C40 H39 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[(4-hydroxybenzoyl)amino]-, methyl ester, (α S)-
 MF C17 H23 N O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-(8-quinolinylloxy)ethoxy]benzoyl]-
MF C34 H30 N2 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Glycine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]benzoyl]-N-[[4-(phenylmethoxy)phenyl]methyl]-, ethyl ester
MF C36 H35 N3 O6

PAGE 1-A




PAGE 1-B

— Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(3-chlorophenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C31 H28 Cl N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[3-[2-oxo-2-[(2-phenylethyl)(phenylmethyl)amino]ethoxy]benzoyl]-O-(phenylmethyl)-
 MF C40 H38 N2 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[3-[2-(2,6-dimethylphenoxy)ethoxy]benzoyl]-O-(phenylmethyl)-
MF C33 H33 N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Phenylalanine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-, methyl
ester
MF C31 H29 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Benzoic acid, 4-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]-
MF C18 H16 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzeneacetic acid, α -[[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-
 MF C29 H25 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN [1,1'-Biphenyl]-2-propanoic acid, α -[[4-[2-bis(phenylmethyl)amino]ethoxy]benzoyl]amino]-
 MF C38 H36 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[[4-(1,1-dimethylethyl)phenyl]methyl]-, ethyl ester
 MF C38 H44 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, O-(phenylmethyl)-N-[4-[[3-(trifluoromethyl)phenyl]methoxy]benzoyl]-
 MF C31 H26 F3 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Phenylalanine, 4-bromo-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-
 MF C30 H26 Br N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-[(5,6,7,8-tetrahydro-2-naphthalenyl)oxy]ethoxy]benzoyl]-, methyl ester
 MF C36 H37 N O6

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B

—Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
MF C38 H35 N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-[2-oxo-2-[phenyl(phenylmethyl)amino]ethoxy]benzoyl]-O-(phenylmethyl)-
MF C38 H34 N2 O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[[4-(1,1-dimethylethyl)phenyl]methyl]-
 MF C36 H40 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Phenylalanine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-, methyl ester
 MF C28 H31 N O4

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[[3-(phenylmethoxy)phenyl]methoxy]-
 MF C21 H18 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-
 MF C34 H35 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzenebutanoic acid, α -[[3-[2-(3-methyl-2-oxo-1(2H)-quinoxalinyloxy)benzoyl]amino]-4-(phenylmethoxy)-, methyl ester,
 (S)-
 MF C36 H35 N3 O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[2-oxo-2-[phenyl(phenylmethyl)amino]ethoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C39 H36 N2 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, N-[4-[(4-methoxyphenyl)methoxy]benzoyl]-
 MF C24 H23 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[4-(phenylmethoxy)phenyl]methyl]-
 MF C38 H35 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-(phenylmethoxy)phenyl]-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-, ethyl ester
 MF C38 H35 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[(3-phenyl-2-propen-1-yl)oxy]benzoyl]-,
 methyl ester
 MF C33 H31 N O5


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(3-bromophenyl)methoxy]benzoyl]-O-(phenylmethyl)-
 MF C30 H26 Br N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN L-Tyrosine, N-[4-[(4-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-
MF C36 H31 N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Cyclohexanepropanoic acid, α -[[3-[(4-butylphenyl)methoxy]benzoyl]amino]-, methyl ester, (α S)-
MF C28 H37 N O4

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Benzoic acid, 3-[(4-butylphenyl)methoxy]-, methyl ester
MF C19 H22 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-[(2-methyl-5-benzothiazolyl)oxy]ethoxy]benzoyl]-O-(phenylmethyl)-
 MF C33 H30 N2 O6 S

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C36 H35 N3 O6

PAGE 1-A




— Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[3-(trifluoromethyl)phenyl]methoxy]benzoyl]-, methyl ester
 MF C32 H28 F3 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[2-[cyclohexyl(1,1-dimethylethyl)amino]-2-oxoethoxy]benzoyl]-O-(phenylmethyl)-
 MF C35 H42 N2 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-
 MF C34 H31 N3 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[(4-butylphenyl)methoxy]benzoyl]-N-[3-(phenylmethoxy)phenyl]methyl]-, methyl ester
 MF C36 H39 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-(3-methyl-2-oxo-1(2H)-quinoxalinyl)ethoxy]-
 MF C18 H16 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-
 MF C38 H35 N O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-4-bromo-
 MF C32 H31 Br N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tryptophan, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-1-methyl-,
 methyl ester
 MF C36 H37 N3 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-fluoro-, methyl ester
 MF C8 H7 F O2
 CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(4-phenoxyphenyl)methyl]-
 MF C39 H38 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[3-[(3-methyl-2-quinoxalinyloxy]propoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C36 H35 N3 O6

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B

— Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[3-(3-phenylpropoxy)benzoyl]-, methyl ester
 MF C33 H33 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-[benzoyl(phenylmethyl)amino]ethoxy]benzoyl]-O-(phenylmethyl)-
 MF C39 H36 N2 O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β-Alanine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-
 MF C40 H40 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, methyl ester
 MF C35 H37 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[[4-(phenylmethoxy)phenyl]methoxy]-
 MF C21 H18 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-N-[[4-(phenylmethoxy)phenyl]methyl]-
 MF C35 H37 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]benzoyl]-O-


(phenylmethyl)-, propyl ester
 MF C37 H37 N3 O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[2-(diphenylamino)-2-oxoethoxy]benzoyl]-O-(phenylmethyl)-
 MF C37 H32 N2 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[3-([1,1'-biphenyl]-4-ylmethoxy)benzoyl]-O-(phenylmethyl)-
 MF C36 H31 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[3-[(3-phenyl-2-propen-1-yl)oxy]benzoyl]-

MF C32 H29 N O5


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-[2-(3-bromophenoxy)ethoxy]benzoyl]-O-(phenylmethyl)-,
methyl ester
MF C32 H30 Br N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-[(3-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
methyl ester
MF C37 H33 N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(2-fluorophenyl)methoxy]benzoyl]-O-(phenylmethyl)-
 MF C30 H26 F N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)-
 MF C37 H33 N O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[2-(2-naphthalenyl)ethoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C36 H33 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[(4-butylphenyl)methoxy]-, methyl ester
 MF C19 H22 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-
 MF C34 H35 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Phenylalanine, 4-bromo-N-[4-[2-[(3-methyl-2-
 quinoxalinyloxy]ethoxy]benzoyl]-, methyl ester
 MF C28 H26 Br N3 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(2-methylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C32 H31 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzenebutanoic acid, α -[[3-[2-(3-methyl-2-oxo-1(2H)-
 quinoxalinyloxy)ethoxy]benzoyl]amino]-4-(phenylmethoxy)-, (α S)-
 MF C35 H33 N3 O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-(
 phenylmethoxy)phenyl]methyl]-
 MF C38 H35 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzeneacetic acid, α -[[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, methyl ester, (α S)-
 MF C30 H27 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-[(phenylmethyl)(2,2,2-trifluoroacetyl)amino]ethoxy]-, methyl ester
 MF C19 H18 F3 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzeneacetic acid, α -[[4-[(4-butylphenyl)methoxy]benzoyl]amino]-
 MF C26 H27 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-3-phenoxy-
 MF C38 H36 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C40 H39 N O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]-, methyl ester
 MF C20 H19 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-([1,1'-biphenyl]-4-ylmethyl)-N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-
 MF C39 H38 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[4-[2-[(4-bromophenyl)thio]ethoxy]benzoyl]amino]-, methyl ester, (α S)-
 MF C25 H30 Br N O4 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-(3-thienylmethoxy)benzoyl]-, methyl ester
 MF C29 H27 N O5 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[[4-(phenylmethoxy)phenyl]methyl]-N-[4-[2-[(phenylmethyl) (3-pyridinylcarbonyl) amino]ethoxy]benzoyl]-
 MF C38 H35 N3 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tryptophan, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-1-methyl-
 MF C35 H35 N3 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-N-[[4-(phenylmethoxy)phenyl]methyl]-, methyl ester
 MF C36 H39 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]-, methyl ester
 MF C19 H18 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, (α S)-
 MF C30 H33 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-O-(phenylmethyl)-
 MF C39 H38 N2 O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(3-phenoxyphenyl)methyl]-, ethyl ester
 MF C40 H40 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[4-[(4-butylphenyl)methoxy]benzoyl]amino]-
 MF C27 H35 N O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[3-(3-phenylpropoxy)benzoyl]-
 MF C32 H31 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-(2-pyridinyloxy)ethoxy]benzoyl]-,
 methyl ester
 MF C31 H30 N2 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-(3-phenylpropoxy)benzoyl]-, methyl ester
 MF C33 H33 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN


IN L-Tyrosine, O-(phenylmethyl)-N-[4-[[3-(trifluoromethyl)phenyl]methoxy]benzoyl]-
 MF C31 H26 F3 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[[4-(phenylmethoxy)phenyl]methyl]-
 MF C39 H38 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[[4-(1,1-dimethylethyl)phenyl]methyl]-, methyl ester
 MF C38 H44 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[[3-(phenylmethoxy)phenyl]methoxy]-, methyl ester
 MF C22 H20 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[3-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]benzoyl]amino]-, (α S)-
 MF C27 H31 N3 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[3-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]benzoyl]amino]-, methyl ester, (α S)-
 MF C28 H33 N3 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[3-(4-propoxyphenoxy)propoxy]benzoyl]-,
 methyl ester
 MF C36 H39 N O7

Absolute stereochemistry.




PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzenepropanamide, N-hydroxy- α -[[4-[2-[(3-methyl-2-
 quinoxalinyloxy)ethoxy]benzoyl]amino]-4-(phenylmethoxy)-, (α S)-
 MF C34 H32 N4 O6

Absolute stereochemistry.




PAGE 1-B




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-
 MF C37 H33 N O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, methyl ester
 MF C39 H37 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-[(phenylmethyl)amino]ethoxy]-, methyl ester
 MF C17 H19 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-(phenylmethoxy)phenyl]-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-

MF C36 H31 N O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tryptophan, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-5-bromo-
 MF C34 H32 Br N3 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C39 H37 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-(3-hydroxybenzoyl)-O-(phenylmethyl)-, methyl ester
 MF C24 H23 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-(2-pyridinyloxy)ethoxy]benzoyl]-
 MF C30 H28 N2 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-[(phenylmethyl)amino]ethoxy]benzoyl]-
 , methyl ester
 MF C33 H34 N2 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(2-chlorophenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C31 H28 Cl N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 3-Thiopheneacetic acid, α -[[3-[2-oxo-2-
 [phenyl(phenylmethyl)amino]ethoxy]benzoyl]amino]-
 MF C28 H24 N2 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-N-[[4-(
 phenylmethoxy)phenyl]methyl]-
 MF C34 H31 N3 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[3-[(4-butylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C35 H37 N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[2-(2-thienylthio)ethoxy]-, methyl ester
 MF C14 H14 O3 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Phenylalanine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-
 MF C27 H25 N3 O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-4-bromo-
 MF C32 H31 Br N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(4-
 phenoxyphenyl)methyl]-, ethyl ester
 MF C40 H40 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[(2-methylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-
 MF C31 H29 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Phenylalanine, 4-fluoro-N-[4-[2-[(3-methyl-2-
 quinoxalinyloxy)ethoxy]benzoyl]-
 MF C27 H24 F N3 O5


Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-[(2-methyl-5-benzothiazolyl)oxy]ethoxy]benzoyl]-O-
 (phenylmethyl)-, methyl ester
 MF C34 H32 N2 O6 S

Absolute stereochemistry.




PAGE 1-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[3-[(3-phenyl-2-propen-1-yl)oxy]benzoyl]-,
 methyl ester
 MF C33 H31 N O5


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(2-methoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-
 MF C31 H29 N O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Glycine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(4-phenoxyphenyl)methyl]-
MF C38 H36 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN β -Alanine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(4-phenoxyphenyl)methyl]-, methyl ester
MF C40 H40 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Benzoic acid, 4-[[3-(phenylmethoxy)phenyl]methoxy]-
MF C21 H18 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[3-[(4-butylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-
MF C34 H35 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[3-[2-(3-methyl-2-oxo-1(2H)-quinoxalinyloxy)benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C35 H33 N3 O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[2-(diphenylamino)-2-oxoethoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C38 H34 N2 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, N-[4-(phenylmethoxy)benzoyl]-
 MF C23 H21 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[4-(phenylmethoxy)benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-
 MF C31 H29 N O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-(phenylmethoxy)phenyl]-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-, ethyl ester
 MF C38 H35 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-[(phenylmethyl) (3-pyridinylcarbonyl)amino]ethoxy]-
 MF C22 H20 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(2-bromophenyl)methoxy]benzoyl]-O-(phenylmethyl)-
 MF C30 H26 Br N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[(3-phenyl-2-propen-1-yl)oxy]benzoyl]-
 MF C32 H29 N O5

Absolute stereochemistry.
 Double bond geometry unknown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[4-(phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C40 H39 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[2-[bis(phenylmethyl)amino]ethoxy]-, methyl ester
 MF C24 H25 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-(2-naphthalenyl)ethoxy]benzoyl]-O-(phenylmethyl)-
 MF C35 H31 N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β-Alanine, N-[3-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-N-
 [[3-(phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C37 H37 N3 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(3-methylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C32 H31 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[2-(cyclohexylphenylamino)-2-oxoethoxy]benzoyl]-O-
 (phenylmethyl)-
 MF C37 H38 N2 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-N-[[3-
 (phenylmethoxy)phenyl]methyl]-
 MF C34 H31 N3 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[(4-butylphenyl)methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, methyl ester
 MF C35 H37 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[2-(3-methyl-2-oxo-1(2H)-quinoxalinyl)ethoxy]-
 MF C18 H16 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN Glycine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-
 MF C37 H33 N O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-4-(1,1-dimethylethyl)-
 MF C36 H40 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tryptophan, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-5-(phenylmethoxy)-, methyl ester
 MF C42 H41 N3 O5



PAGE 1-A

CH2-Ph


PAGE 1-B

—CH2—Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-([1,1'-biphenyl]-2-ylmethoxy)benzoyl]-O-(phenylmethyl)-
 MF C36 H31 N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[4-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[(3-phenoxyphenyl)methyl]-
 MF C39 H38 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-(2-quinolinylloxy)ethoxy]benzoyl]-, methyl ester
 MF C35 H32 N2 O6

Absolute stereochemistry.




—Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[3-[(3-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C37 H33 N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-(10,11-dihydro-5H-dibenz[b,f]azepin-5-yl)-2-
 oxoethoxy]benzoyl]-O-(phenylmethyl)-
 MF C39 H34 N2 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-(3-bromophenoxy)ethoxy]benzoyl]-O-(phenylmethyl)-
 MF C31 H28 Br N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[4-[(4-butylphenyl)methoxy]benzoyl]amino]-, methyl ester, (α S)-
 MF C28 H37 N O4

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[(4-butylphenyl)methoxy]-
 MF C18 H20 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-N-[3-(phenylmethoxy)phenyl]methyl]-
 MF C35 H37 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]benzoyl]-O-(phenylmethyl)-, 1-methylethyl ester
 MF C37 H37 N3 O6


Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[2-(10,11-dihydro-5H-dibenz[b,f]azepin-5-yl)-2-oxoethoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C40 H36 N2 O6


PAGE 1-A





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)-
 MF C37 H33 N O6




— Ph

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)-
 MF C37 H33 N O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 3-Thiopheneacetic acid, α -[[3-[2-oxo-2-
 [phenyl(phenylmethyl)amino]ethoxy]benzoyl]amino]-, methyl ester
 MF C29 H26 N2 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-([1,1'-biphenyl]-4-ylmethoxy)benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C37 H33 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(3-chlorophenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
 methyl ester
 MF C30 H26 Cl N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(3-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-
 MF C36 H31 N O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, 4-fluoro-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-,
 methyl ester
 MF C31 H28 F N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Benzoic acid, 4-[2-(2-naphthalenyl)ethoxy]-, methyl ester
MF C20 H18 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Phenylalanine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-
MF C27 H29 N O4

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Glycine, N-[3-[2-[(3-methyl-2-quinoxalinyloxy]ethoxy]benzoyl]-N-[(3-(phenylmethoxy)phenyl)methyl]-, ethyl ester
MF C36 H35 N3 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Cyclohexanepropanoic acid, α -[[4-[(3-bromophenyl)methoxy]benzoyl]amino]-, methyl ester, (α S)-
MF C24 H28 Br N O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[3-[2-(3-methyl-2-oxo-1(2H)-quinoxalinyloxy)benzoyl]-O-(phenylmethyl)-
MF C34 H31 N3 O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Glycine, N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-
MF C37 H33 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Phenylalanyl-L-phenylalanine, N-[4-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]benzoyl]-,
 methyl ester
 MF C28 H27 N3 O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 3-[2-[(phenylmethyl)(2,2,2-trifluoroacetyl)amino]ethoxy]-,
 methyl ester
 MF C19 H18 F3 N O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-[2-(7-quinolinylloxy)ethoxy]benzoyl]-
 MF C34 H30 N2 O6

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN [1,1'-Biphenyl]-2-propanoic acid, α -[[3-[2-
 [bis(phenylmethyl)amino]ethoxy]benzoyl]amino]-
 MF C38 H36 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-
 (phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C39 H37 N O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-(2-naphthalenyl)ethoxy]-
 MF C19 H16 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[[4-(1,1-dimethylethyl)phenyl]methyl]-
 MF C37 H42 N2 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[2-[(2-fluorophenyl)thio]ethoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C32 H30 F N O5 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Cyclohexanepropanoic acid, α -[[4-[(4-butoxyphenyl)methoxy]benzoyl]amino]-, methyl ester, (α S)-
 MF C28 H37 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-[2-[benzoyl(phenylmethyl)amino]ethoxy]benzoyl]-N-[4-(phenylmethoxy)phenyl]methyl]-
 MF C39 H36 N2 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-[[4-(phenylmethoxy)phenyl]methyl]-
 MF C40 H40 N2 O5




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β -Alanine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, methyl ester
 MF C36 H39 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-[(3-methyl-2-quinoxalinyloxy)ethoxy]-, methyl ester
 MF C19 H18 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN L-Phenylalanine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-
 MF C30 H27 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-(phenylmethoxy)benzoyl]-O-(phenylmethyl)-
 MF C30 H27 N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[2-(cyclohexylphenylamino)-2-oxoethoxy]benzoyl]-O-(phenylmethyl)-, methyl ester
 MF C38 H40 N2 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Tyrosine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-


MF C34 H35 N O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[3-[(3-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-
MF C36 H31 N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[3-[2-(2,6-dimethylphenoxy)ethoxy]benzoyl]-O-(phenylmethyl)-
, methyl ester
MF C34 H35 N O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-(2-phenylethoxy)benzoyl]-O-(phenylmethyl)-, methyl ester
MF C32 H31 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-[4-[(3-methylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-
 MF C31 H29 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, O-(phenylmethyl)-N-[4-(3-phenylpropoxy)benzoyl]-
 MF C32 H31 N O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN β-Alanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-N-(2-

COC(=O)CCN(CC1=CC=CC=C1C(=O)N(C2=CC=CC=C2)COC3CCN(CC4=CC=CC=C4)CC3)CC5=CC=CC=C6C=CC=CC=C56

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Benzoic acid, 4-[[3-(phenylmethoxy)phenyl]methoxy]-, methyl ester
MF C22 H20 O4




L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Cyclohexanepropanoic acid, α -[[4-[2-[(3-methyl-2-
MF C27 H31 N3 O5
quinoxalinyloxy]ethoxy]benzoyl]amino]-, (α S)-

Cc1nc2ccccc2n1OCCOCc3ccc(cc3)C(=O)N[C@@H](C(=O)O)SCC4CCCCC4

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Cyclohexanepropanoic acid, α -[[4-[2-[(3-methyl-2-

quinoxalinyloxy]ethoxy]benzoyl]amino]-, methyl ester, (α S)-
MF C28 H33 N3 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN L-Tyrosine, N-[4-[2-(2-methylphenyl)ethoxy]benzoyl]-O-(phenylmethyl)-,
methyl ester
MF C33 H33 N O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN Benzenepropanamide, N,N-dimethyl- α -[[4-[2-[(3-methyl-2-
quinoxalinyloxy]ethoxy]benzoyl]amino]-4-(phenylmethoxy)-, (α S)-
MF C36 H36 N4 O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[4-(phenylmethoxy)phenyl]methyl]-
 MF C37 H33 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[3-(phenylmethoxy)phenyl]methyl]-, methyl ester
 MF C38 H35 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Benzoic acid, 4-[2-[(phenylmethyl) (3-pyridinylcarbonyl)amino]ethoxy]-, methyl ester

MF C23 H22 N2 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[4-(phenylmethoxy)phenyl]-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-
 MF C36 H31 N O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Phenylalanine, N-[3-[2-[bis(phenylmethyl)amino]ethoxy]benzoyl]-3-phenoxy-
 MF C38 H36 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN Glycine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-N-[[4-(phenylmethoxy)phenyl]methyl]-, ethyl ester
 MF C39 H37 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 323 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN L-Tyrosine, N-(4-hydroxybenzoyl)-O-(phenylmethyl)-, methyl ester
 MF C24 H23 N O5

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> log hold		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.38	17.99

SESSION WILL BE HELD FOR 120 MINUTES
 STN INTERNATIONAL SESSION SUSPENDED AT 17:26:21 ON 15 OCT 2008

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:SSPTAJHM1624

PASSWORD:
 TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1	Web Page for STN Seminar Schedule - N. America
NEWS	2	NOV 21 CAS patent coverage to include exemplified prophetic

substances identified in English-, French-, German-, and Japanese-language basic patents from 2004-present

NEWS 3 NOV 26 MARPAT enhanced with FSORT command

NEWS 4 NOV 26 CHEMSAFE now available on STN Easy

NEWS 5 NOV 26 Two new SET commands increase convenience of STN searching

NEWS 6 DEC 01 ChemPort single article sales feature unavailable

NEWS 7 DEC 12 GBFULL now offers single source for full-text coverage of complete UK patent families

NEWS 8 DEC 17 Fifty-one pharmaceutical ingredients added to PS

NEWS 9 JAN 06 The retention policy for unread STNmail messages will change in 2009 for STN-Columbus and STN-Tokyo

NEWS 10 JAN 07 WPIDS, WPINDEX, and WPIX enhanced Japanese Patent Classification Data

NEWS 11 FEB 02 Simultaneous left and right truncation (SLART) added for CERAB, COMPUAB, ELCOM, and SOLIDSTATE

NEWS 12 FEB 02 GENBANK enhanced with SET PLURALS and SET SPELLING

NEWS 13 FEB 06 Patent sequence location (PSL) data added to USGENE

NEWS 14 FEB 10 COMPENDEX reloaded and enhanced

NEWS 15 FEB 11 WTEXTILES reloaded and enhanced

NEWS 16 FEB 19 New patent-examiner citations in 300,000 CA/CAPLUS patent records provide insights into related prior art

NEWS 17 FEB 19 Increase the precision of your patent queries -- use terms from the IPC Thesaurus, Version 2009.01

NEWS 18 FEB 23 Several formats for image display and print options discontinued in USPATFULL and USPAT2

NEWS 19 FEB 23 MEDLINE now offers more precise author group fields and 2009 MeSH terms

NEWS 20 FEB 23 TOXCENTER updates mirror those of MEDLINE - more precise author group fields and 2009 MeSH terms

NEWS 21 FEB 23 Three million new patent records blast AEROSPACE into STN patent clusters

NEWS 22 FEB 25 USGENE enhanced with patent family and legal status display data from INPADOCDB

NEWS 23 MAR 06 INPADOCDB and INPAFAMDB enhanced with new display formats

NEWS 24 MAR 11 EPFULL backfile enhanced with additional full-text applications and grants

NEWS 25 MAR 11 ESBIODBASE reloaded and enhanced

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS LOGIN Welcome Banner and News Items

NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 15:57:11 ON 12 MAR 2009

=> FIL REGISTRY

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.66	0.66

FILE 'REGISTRY' ENTERED AT 15:59:06 ON 12 MAR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 11 MAR 2009 HIGHEST RN 1119363-64-2
DICTIONARY FILE UPDATES: 11 MAR 2009 HIGHEST RN 1119363-64-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.



Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10 series\10560533\10560533a.str



```

chain nodes :
7 8 15 16 17 18 19 20 23 24 25
ring nodes :
1 2 3 4 5 6 9 10 11 12 13 14
chain bonds :
3-7 7-8 12-15 15-16 15-18 16-17 17-19 17-23 19-20 23-24 23-25
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 9-14 9-10 10-11 11-12 12-13 13-14
exact/norm bonds :
15-16 15-18 16-17 23-24 23-25
exact bonds :
3-7 7-8 12-15 17-19 17-23 19-20
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 9-14 9-10 10-11 11-12 12-13 13-14

```

G1:O,N

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS
19:CLASS 20:Atom 23:CLASS 24:CLASS 25:CLASS 27:Atom


```


L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 O,N

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 15:59:29 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 23593 TO ITERATE

8.5% PROCESSED 2000 ITERATIONS

1 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 462665 TO 481055

PROJECTED ANSWERS: 29 TO 441

L2 1 SEA SSS SAM L1


=> d scan

L2 1 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN D-Phenylalanine, N-[4-(phenylmethoxy)benzoyl]-,
 (2R)-3-phenyl-2-[[4-(phenylmethoxy)benzoyl]amino]propyl ester

MF C46 H42 N2 O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> s l1 full

FULL SEARCH INITIATED 15:59:46 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 472594 TO ITERATE

98.5% PROCESSED 465278 ITERATIONS

131 ANSWERS

100.0% PROCESSED 472594 ITERATIONS

131 ANSWERS

SEARCH TIME: 00.00.19

L3 131 SEA SSS FUL L1


=> d scan

L3 131 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN L-Tyrosine, N-[4-[(4-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-

MF C36 H31 N O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):

Connection closed by remote host

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:SSPTAJHM1624

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	NOV 21	CAS patent coverage to include exemplified prophetic substances identified in English-, French-, German-, and Japanese-language basic patents from 2004-present
NEWS	3	NOV 26	MARPAT enhanced with FSORT command
NEWS	4	NOV 26	CHEMSAFE now available on STN Easy
NEWS	5	NOV 26	Two new SET commands increase convenience of STN searching
NEWS	6	DEC 01	ChemPort single article sales feature unavailable
NEWS	7	DEC 12	GBFULL now offers single source for full-text coverage of complete UK patent families
NEWS	8	DEC 17	Fifty-one pharmaceutical ingredients added to PS
NEWS	9	JAN 06	The retention policy for unread STNmail messages will change in 2009 for STN-Columbus and STN-Tokyo
NEWS	10	JAN 07	WPIDS, WPINDEX, and WPIX enhanced Japanese Patent Classification Data
NEWS	11	FEB 02	Simultaneous left and right truncation (SLART) added for CERAB, COMPUAB, ELCOM, and SOLIDSTATE
NEWS	12	FEB 02	GENBANK enhanced with SET PLURALS and SET SPELLING
NEWS	13	FEB 06	Patent sequence location (PSL) data added to USGENE
NEWS	14	FEB 10	COMPENDEX reloaded and enhanced
NEWS	15	FEB 11	WTEXTILES reloaded and enhanced
NEWS	16	FEB 19	New patent-examiner citations in 300,000 CA/CAPLUS patent records provide insights into related prior art
NEWS	17	FEB 19	Increase the precision of your patent queries -- use terms from the IPC Thesaurus, Version 2009.01
NEWS	18	FEB 23	Several formats for image display and print options discontinued in USPATFULL and USPAT2
NEWS	19	FEB 23	MEDLINE now offers more precise author group fields and 2009 MeSH terms
NEWS	20	FEB 23	TOXCENTER updates mirror those of MEDLINE - more precise author group fields and 2009 MeSH terms
NEWS	21	FEB 23	Three million new patent records blast AEROSPACE into STN patent clusters
NEWS	22	FEB 25	USGENE enhanced with patent family and legal status display data from INPADOCDB
NEWS	23	MAR 06	INPADOCDB and INPAFAMDB enhanced with new display formats
NEWS	24	MAR 11	EPFULL backfile enhanced with additional full-text applications and grants
NEWS	25	MAR 11	ESBIOBASE reloaded and enhanced
NEWS EXPRESS		JUNE 27 08	CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS LOGIN			Welcome Banner and News Items
NEWS IPC8			For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 16:42:39 ON 12 MAR 2009

=> FIL REGISTRY

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.22	0.22

FILE 'REGISTRY' ENTERED AT 16:42:47 ON 12 MAR 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 11 MAR 2009 HIGHEST RN 1119363-64-2

DICTIONARY FILE UPDATES: 11 MAR 2009 HIGHEST RN 1119363-64-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.



Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10 series\10560533\10560533a.str



```

chain nodes :
7 8 15 16 17 18 19 20 23 24 25
ring nodes :
1 2 3 4 5 6 9 10 11 12 13 14
chain bonds :
3-7 7-8 12-15 15-16 15-18 16-17 17-19 17-23 19-20 23-24 23-25
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 9-14 9-10 10-11 11-12 12-13 13-14
exact/norm bonds :
15-16 15-18 16-17 23-24 23-25
exact bonds :
3-7 7-8 12-15 17-19 17-23 19-20
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 9-14 9-10 10-11 11-12 12-13 13-14

```

G1:O,N

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS
19:CLASS 20:Atom 23:CLASS 24:CLASS 25:CLASS 27:Atom

```

L1 STRUCTURE UPLOADED

=> s l1 full

FULL SEARCH INITIATED 16:43:06 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 472594 TO ITERATE

98.5% PROCESSED 465338 ITERATIONS 131 ANSWERS

100.0% PROCESSED 472594 ITERATIONS 131 ANSWERS

SEARCH TIME: 00.00.19

L2 131 SEA SSS FUL L1

=> fiel caplus

FIEL IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.

For a list of commands available to you in the current file, enter

"HELP COMMANDS" at an arrow prompt (=>).

=> s l2

SAMPLE SEARCH INITIATED 16:43:33 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 23593 TO ITERATE

8.5% PROCESSED 2000 ITERATIONS 1 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 462665 TO 481055

PROJECTED ANSWERS: 29 TO 441

L3 1 SEA SSS SAM L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

186.36

186.58

FILE 'CAPLUS' ENTERED AT 16:43:42 ON 12 MAR 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 12 Mar 2009 VOL 150 ISS 11

FILE LAST UPDATED: 11 Mar 2009 (20090311/ED)

Caplus now includes complete International Patent Classification (IPC)

reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
=> s 12
L4          22 L2

=> s 12 and (pd<=20030613 or ad<=20030613 or prd<=20030613)
      22 L2
      23822878 PD<=20030613
              (PD<=20030613)
      4631732 AD<=20030613
              (AD<=20030613)
      4101709 PRD<=20030613
              (PRD<=20030613)
L5          13 L2 AND (PD<=20030613 OR AD<=20030613 OR PRD<=20030613)

=> d 15 1-13 ibi hitstr
'IBI' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'
```

The following are valid formats:

```
ABS ----- GI and AB
ALL ----- BIB, AB, IND, RE
APPS ----- AI, PRAI
BIB ----- AN, plus Bibliographic Data and PI table (default)
CAN ----- List of CA abstract numbers without answer numbers
CBIB ----- AN, plus Compressed Bibliographic Data
CLASS ----- IPC, NCL, ECLA, FTERM
DALL ----- ALL, delimited (end of each field identified)
DMAX ----- MAX, delimited for post-processing
FAM ----- AN, PI and PRAI in table, plus Patent Family data
FBIB ----- AN, BIB, plus Patent FAM
IND ----- Indexing data
IPC ----- International Patent Classifications
MAX ----- ALL, plus Patent FAM, RE
PATS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
              SCAN must be entered on the same line as the DISPLAY,
              e.g., D SCAN or DISPLAY SCAN)
STD ----- BIB, CLASS

IABS ----- ABS, indented with text labels
IALL ----- ALL, indented with text labels
IBIB ----- BIB, indented with text labels
IMAX ----- MAX, indented with text labels
ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms
HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
```

containing hit terms

HITRN ----- HIT RN and its text modification

HITSTR ----- HIT RN, its text modification, its CA index name, and its structure diagram

HITSEQ ----- HIT RN, its text modification, its CA index name, its structure diagram, plus NTE and SEQ fields

FHITSTR ----- First HIT RN, its text modification, its CA index name, and its structure diagram

FHITSEQ ----- First HIT RN, its text modification, its CA index name, its structure diagram, plus NTE and SEQ fields

KWIC ----- Hit term plus 20 words on either side

OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.

ENTER DISPLAY FORMAT (BIB):ibib

L5 ANSWER 1 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:1127319 CAPLUS

DOCUMENT NUMBER: 142:74357

TITLE: Preparation of new benzamides for use in pharmaceutical compositions as peroxisome proliferator-activated receptor γ (PPAR γ) modulators

INVENTOR(S): Ferdandez Serrat, Anna; Serra Comas, Carme; Balsa Lopez, Dolors; Llebaria Soldevila, Amadeu; Farrerons Gallemi, Carles; Miquel Bono, Ignacio Jose; Catena Ruiz, Juan Lorenzo; Lagunas Arnal, Carmen; Cordomi Montoya, Arnau; Salcedo Roca, Carolina; Toledo Mesa, Natividad; Marrero Gonzalez, Pedro; Haro Bautista, Diego; Fernandez Garcia, Andres

PATENT ASSIGNEE(S): Laboratorios S.A.L.V.A.T., S.A., Spain

SOURCE: PCT Int. Appl., 113 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
WO 2004110983	A2	20041223	WO 2004-EP6330	20040611 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2004247389	A1	20041223	AU 2004-247389	20040611 <--

CA 2528231	A1	20041223	CA 2004-2528231	20040611 <--
EP 1644321	A2	20060412	EP 2004-739820	20040611 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
BR 2004011412	A	20060725	BR 2004-11412	20040611 <--
CN 1835914	A	20060920	CN 2004-80023119	20040611 <--
JP 2006527233	T	20061130	JP 2006-515904	20040611 <--
KR 2006061300	A	20060607	KR 2005-723893	20051212 <--
MX 2005013653	A	20060224	MX 2005-13653	20051213 <--
US 20060160894	A1	20060720	US 2005-560533	20051213 <--
IN 2006CN00121	A	20070629	IN 2006-CN121	20060110 <--
PRIORITY APPLN. INFO.:			ES 2003-1461	A 20030613 <--
			WO 2004-EP6330	W 20040611

OTHER SOURCE(S): MARPAT 142:74357

L5 ANSWER 2 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:817667 CAPLUS

DOCUMENT NUMBER: 141:327646

TITLE: Inhibitors of cathepsin S for use in pharmaceuticals

INVENTOR(S): Liu, Hong; Alper, Phil; Chatterjee, Arnab; Tully, David; Bursulaya, Badry; Woodmansee, David; Epple, Robert; Harris, Jennifer Leslie; Li, Jun

PATENT ASSIGNEE(S): IRM LLC, Bermuda

SOURCE: PCT Int. Appl., 166 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004084843	A2	20041007	WO 2004-US9414	20040324 <--
WO 2004084843	A3	20050929		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 20040248887	A1	20041209	US 2004-807613	20040323 <--
US 7384970	B2	20080610		
US 20080242671	A1	20081002	US 2008-55154	20080325 <--
PRIORITY APPLN. INFO.:			US 2003-457848P	P 20030324 <--
			US 2004-807613	A 20040323

OTHER SOURCE(S): MARPAT 141:327646

REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 3 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:817666 CAPLUS

DOCUMENT NUMBER: 141:309638

TITLE: Inhibitors of cathepsin S for use in disease treatment

INVENTOR(S): Liu, Hong; Tully, David; Epple, Robert; Bursulaya, Badry; Williams, Jennifer; Chatterjee, Arnab; Harris, Jennifer Leslie; Li, Jun

PATENT ASSIGNEE(S): IRM LLC, Bermuda

SOURCE: PCT Int. Appl., 146 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004084842	A2	20041007	WO 2004-US9218	20040324 <--
WO 2004084842	A3	20041125		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
US 20040198780	A1	20041007	US 2004-807612	20040323 <--
US 7109243	B2	20060919		
PRIORITY APPLN. INFO.:			US 2003-457595P	P 20030324 <--
			US 2004-807612	A 20040323
OTHER SOURCE(S):	MARPAT 141:309638			
REFERENCE COUNT:	1	THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT		

L5 ANSWER 4 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:143094 CAPLUS

DOCUMENT NUMBER: 140:199743

TITLE: Preparation of substituted
 (2S)-(arylamino)-3-(biphenyl-4-yl)propionic acids as
 antagonists of factor IX for inhibiting the intrinsic
 pathway of blood coagulation

INVENTOR(S): Mjalli, Adnan M. M.; Andrews, Robert C.; Guo, Xiao-chuan; Christen, Daniel Peter; Gohimmukkula, Devi Reddy; Huang, Guoxiang; Rothlein, Robert; Tyagi, Sameer; Yaramasu, Tripura; Behme, Christopher

PATENT ASSIGNEE(S): Transtech Pharma, Inc., USA

SOURCE: PCT Int. Appl., 326 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004014844	A2	20040219	WO 2003-US25045	20030808 <--
WO 2004014844	A3	20050428		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,			

BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

CA 2493008	A1	20040219	CA 2003-2493008	20030808 <--
AU 2003265398	A1	20040225	AU 2003-265398	20030808 <--
US 20040110832	A1	20040610	US 2003-637900	20030808 <--
US 7122580	B2	20061017		
EP 1546089	A2	20050629	EP 2003-785150	20030808 <--

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK

JP 2005535710	T	20051124	JP 2004-527986	20030808 <--
CN 1703395	A	20051130	CN 2003-819267	20030808 <--
US 20060276518	A1	20061207	US 2006-500225	20060807 <--

PRIORITY APPLN. INFO.: US 2002-402272P P 20020809 <--
 US 2003-637900 A3 20030808
 WO 2003-US25045 W 20030808

OTHER SOURCE(S): MARPAT 140:199743
 REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 5 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2002:846118 CAPLUS
 DOCUMENT NUMBER: 138:362139
 TITLE: Identification of novel α -glucosidase inhibitors
 by screening libraries based on N- [4-(Benzyloxy)
 benzoyl] alanine derivatives
 AUTHOR(S): Kundu, B.; Rastogi, S. K.; Ahmad, R.; Srivastava, A.
 K.
 CORPORATE SOURCE: Divisions of Medicinal Chemistry and Biochemistry,
 Central Drug Research Institute, Lucknow, 226 001,
 India
 SOURCE: Combinatorial Chemistry and High Throughput Screening
 (2002), 5(7), 545-550
 CODEN: CCHSFU; ISSN: 1386-2073
 PUBLISHER: Bentham Science Publishers
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 138:362139
 REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 6 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2002:66358 CAPLUS
 DOCUMENT NUMBER: 136:290323
 TITLE: Towards ochratoxin A selective molecularly imprinted
 polymers for solid-phase extraction
 AUTHOR(S): Jodlbauer, Justus; Maier, Norbert M.; Lindner,
 Wolfgang
 CORPORATE SOURCE: Institute of Analytical Chemistry, University of
 Vienna, Vienna, A-1090, Austria
 SOURCE: Journal of Chromatography, A (2002),
 945(1-2), 45-63
 CODEN: JCRAEY; ISSN: 0021-9673
 PUBLISHER: Elsevier Science B.V.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 REFERENCE COUNT: 39 THERE ARE 39 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 7 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2001:228855 CAPLUS
 DOCUMENT NUMBER: 134:252658
 TITLE: Preparation of tyrosine derivatives as inhibitors of
 $\alpha 4$ containing integrin-mediated binding to ligands

VCAM-1 and MAdCAM.
INVENTOR(S): Jackson, David Y.; Sailes, Frederick C.; Sutherlin, Daniel P.
PATENT ASSIGNEE(S): Genentech, Inc., USA
SOURCE: PCT Int. Appl., 86 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001021584	A1	20010329	WO 2000-US26326	20000925 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2385882	A1	20010329	CA 2000-2385882	20000925 <--
EP 1214292	A1	20020619	EP 2000-965417	20000925 <--
EP 1214292	B1	20070613		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
US 6469047	B1	20021022	US 2000-669779	20000925 <--
JP 2003509488	T	20030311	JP 2001-524964	20000925 <--
AU 780385	B2	20050317	AU 2000-76138	20000925 <--
AT 364592	T	20070715	AT 2000-965417	20000925 <--
US 20040110753	A1	20040610	US 2002-198328	20020716 <--
US 20040158076	A1	20040812	US 2004-772678	20040204 <--
PRIORITY APPLN. INFO.:				
			US 1999-156062P	P 19990924 <--
			US 2000-669779	A1 20000925 <--
			WO 2000-US26326	W 20000925 <--
			US 2002-198328	A1 20020716 <--

OTHER SOURCE(S): MARPAT 134:252658
REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 8 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 1999:439520 CAPLUS
DOCUMENT NUMBER: 131:102538
TITLE: Preparation of quinoline, isoquinoline, cinnoline and tyrosine derivatives as antiinflammatory and anti-allergy agents
INVENTOR(S): Nakao, Toyoo; Takei, Masao; Fukamachi, Hiromi; Ohashi, Hiroshi
PATENT ASSIGNEE(S): Kirin Brewery Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 40 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 11189586	A	19990713	JP 1997-358639	19971225 <--
PRIORITY APPLN. INFO.:			JP 1997-358639	19971225 <--

OTHER SOURCE(S): MARPAT 131:102538

L5 ANSWER 9 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1997:105321 CAPLUS

DOCUMENT NUMBER: 126:118205

ORIGINAL REFERENCE NO.: 126:22828h,22829a

TITLE: Preparation of 5-amino-1,3,4-thiadiazone amino acid and peptide amides as inhibitors for matrix metalloproteinases

INVENTOR(S): Oleksyszyn, Josef; Jacobson, Alan R.

PATENT ASSIGNEE(S): Osteoarthritis Sciences, Inc., USA; Oleksyszyn, Josef; Jacobson, Alan R.

SOURCE: PCT Int. Appl., 68 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9640745	A2	19961219	WO 1996-US9095	19960606 <--
WO 9640745	A3	19970130		
W:	AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG			
RW:	KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA			
US 5677282	A	19971014	US 1995-473143	19950607 <--
CA 2224113	A1	19961219	CA 1996-2224113	19960606 <--
AU 9660496	A	19961230	AU 1996-60496	19960606 <--
EP 845002	A2	19980603	EP 1996-918174	19960606 <--
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI			
JP 11506784	T	19990615	JP 1996-501497	19960606 <--
ZA 9604830	A	19970609	ZA 1996-4830	19960607 <--
PRIORITY APPLN. INFO.:			US 1995-473143	A 19950607 <--
			WO 1996-US9095	W 19960606 <--

OTHER SOURCE(S): MARPAT 126:118205

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 10 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1995:124195 CAPLUS

DOCUMENT NUMBER: 122:161245

ORIGINAL REFERENCE NO.: 122:29741a,29744a

TITLE: New synthetic probes of the iron transport system of Paracoccus denitrificans

AUTHOR(S): Buckley, George M.; Pattenden, Gerald; Whiting, Donald A.

CORPORATE SOURCE: Dep. Chem., Univ. Nottingham, NG7 2RD, UK

SOURCE: Tetrahedron (1994), 50(40), 11781-92

CODEN: TETRAB; ISSN: 0040-4020

DOCUMENT TYPE: Journal

LANGUAGE: English

L5 ANSWER 11 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1979:55256 CAPLUS

DOCUMENT NUMBER: 90:55256

ORIGINAL REFERENCE NO.: 90:8849a,8852a

TITLE: Synthesis and antiinflammatory activity of some

salicylic acid amides - derivatives of α -amino acids
AUTHOR(S): Divanyan, N. M.; Kazaryan, S. A.; Galstyan, L. Kh.;
Sarkisyan, V. G.; Chilingaryan, D. G.; Apoyan, N. A.
CORPORATE SOURCE: Inst. Tonkoi Org. Khim. im. Mndzhoyana, Yerevan, USSR
SOURCE: Khimiko-Farmatsevticheskii Zhurnal (1978),
12(9), 45-8
CODEN: KHFZAN; ISSN: 0023-1134
DOCUMENT TYPE: Journal
LANGUAGE: Russian

L5 ANSWER 12 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 1968:427760 CAPLUS
DOCUMENT NUMBER: 69:27760
ORIGINAL REFERENCE NO.: 69:5202h,5203a
TITLE: Synthesis of actinomycin related compounds. I
AUTHOR(S): Kameda, Yukio; Matsui, Katsuhiko; Ooshiro, Hiroshi;
Suzuki, Hiroo; Ozaki, Hidetaro
CORPORATE SOURCE: Fac. Pharm. Sci., Kanazawa Univ., Kanazawa, Japan
SOURCE: Chemical & Pharmaceutical Bulletin (1968),
16(3), 480-5
CODEN: CPBTAL; ISSN: 0009-2363
DOCUMENT TYPE: Journal
LANGUAGE: English

L5 ANSWER 13 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 1964:3146 CAPLUS
DOCUMENT NUMBER: 60:3146
ORIGINAL REFERENCE NO.: 60:517b-h,518a-h
TITLE: Tumor chemotherapy. XIV. Synthesis of compounds
related to actinomycins. Derivs. of
2-amino-3-phenoxazone
AUTHOR(S): Chao, Shu-Wei; Kao, Yee-Sheng; Chou, Ching-Hsu; Hsu,
Bin
CORPORATE SOURCE: Acad. Sinica, Shanghai, Peop. Rep. China
SOURCE: Scientia Sinica (English Edition) (1963),
12(1), 49-71
CODEN: SSINAV; ISSN: 0582-236X
DOCUMENT TYPE: Journal
LANGUAGE: English

=> d 15 1-13 hitstr

L5 ANSWER 1 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
IT 814920-88-2P 814920-89-3P 814920-90-6P
814920-91-7P 814920-94-0P 814920-95-1P
814920-97-3P 814920-98-4P 814920-99-5P
814921-01-2P 814921-02-3P 814921-04-5P
814921-05-6P 814921-06-7P 814921-07-8P
814921-08-9P 814921-09-0P 814921-10-3P
814921-11-4P 814921-12-5P 814921-13-6P
814921-14-7P 814921-17-0P 814921-18-1P
814921-43-2P 814921-44-3P 814921-45-4P
814921-53-4P 814921-54-5P 814921-55-6P
814921-60-3P 814921-61-4P 814921-62-5P
814921-63-6P 814921-64-7P 814921-67-0P
814921-69-2P 814921-70-5P 814921-73-8P
814922-14-0P 814922-29-7P 814922-32-2P
814922-33-3P 814922-34-4P 814922-35-5P
814922-66-2P 814922-67-3P 814922-69-5P
814922-70-8P 814922-72-0P 814922-75-3P

814922-76-4P 814922-90-2P 814922-91-3P
 814922-92-4P 814922-95-7P 814922-96-8P
 814922-97-9P 814923-02-9P 814923-03-0P
 814923-04-1P 814923-08-5P 814923-09-6P
 814923-14-3P 814923-15-4P 814923-19-8P
 814923-20-1P 814923-21-2P 814923-22-3P
 814923-23-4P 814923-24-5P 814923-25-6P
 814923-26-7P 814923-27-8P 814923-28-9P
 814923-29-0P 814923-30-3P 814923-56-3P
 814923-57-4P 814923-58-5P 814923-59-6P
 814923-60-9P 814923-61-0P 814923-62-1P
 814923-63-2P 814923-64-3P 814923-65-4P
 814923-67-6P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of new benzamides for use in pharmaceutical compns. as peroxisome proliferator-activated receptor γ (PPAR γ) modulators)

RN 814920-88-2 CAPLUS

CN L-Tyrosine, N-[4-[(4-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814920-89-3 CAPLUS

CN L-Tyrosine, N-[4-([1,1'-biphenyl]-4-ylmethoxy)benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814920-90-6 CAPLUS

CN L-Tyrosine, N-[4-[(3-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814920-91-7 CAPLUS

CN L-Tyrosine, N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814920-94-0 CAPLUS

CN L-Tyrosine, N-[4-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814920-95-1 CAPLUS

CN L-Tyrosine, N-[4-([1,1'-biphenyl]-2-ylmethoxy)benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814920-97-3 CAPLUS

CN L-Tyrosine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814920-98-4 CAPLUS

CN L-Tyrosine, N-[3-([1,1'-biphenyl]-4-ylmethoxy)benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814920-99-5 CAPLUS

CN L-Tyrosine, N-[3-[(3-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-01-2 CAPLUS

CN L-Tyrosine, N-[4-[(4-butoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-02-3 CAPLUS

CN Cyclohexanepropanoic acid, α -[[4-[(4-butoxyphenyl)methoxy]benzoyl]amino]-, methyl ester, (α S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-04-5 CAPLUS

CN L-Tyrosine, N-[4-[(2-bromophenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-05-6 CAPLUS


CN L-Tyrosine, N-[4-[(3-bromophenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)

Absolute stereochemistry.




RN 814921-06-7 CAPLUS
CN L-Tyrosine, N-[4-[(2-chlorophenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
methyl ester (CA INDEX NAME)

Absolute stereochemistry.




RN 814921-07-8 CAPLUS
CN L-Tyrosine, N-[4-[(3-chlorophenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
methyl ester (CA INDEX NAME)

Absolute stereochemistry.



RN 814921-08-9 CAPLUS
CN L-Tyrosine, N-[4-[(2-fluorophenyl)methoxy]benzoyl]-O-(phenylmethyl)-,
methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-09-0 CAPLUS

CN L-Tyrosine, N-[4-[(3-methylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-10-3 CAPLUS

CN L-Tyrosine, O-(phenylmethyl)-N-[4-[(3-(trifluoromethyl)phenyl)methoxy]benzoyl]-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-11-4 CAPLUS


CN L-Tyrosine, N-[4-[(2-methoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)

Absolute stereochemistry.




RN 814921-12-5 CAPLUS
 CN Cyclohexanepropanoic acid, α -[[4-[(3-bromophenyl)methoxy]benzoyl]amino]-, methyl ester, (α S)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814921-13-6 CAPLUS
 CN L-Tyrosine, N-[4-[(2-methylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)

Absolute stereochemistry.



RN 814921-14-7 CAPLUS
 CN L-Tyrosine, O-(phenylmethyl)-N-[4-[[2-(trifluoromethyl)phenyl]methoxy]benzoyl]-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-17-0 CAPLUS

CN L-Tyrosine, N-[4-[(3-methoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-18-1 CAPLUS

CN L-Tyrosine, N-[4-[(2-methoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.




RN 814921-43-2 CAPLUS

CN Cyclohexanepropanoic acid, α -[[3-[(4-butylphenyl)methoxy]benzoyl]amino]-, methyl ester, (α S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-44-3 CAPLUS
 CN Phenylalanine, 4-bromo-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-, methyl ester (CA INDEX NAME)




RN 814921-45-4 CAPLUS
 CN Phenylalanine, 4-fluoro-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-, methyl ester (CA INDEX NAME)



RN 814921-53-4 CAPLUS
 CN L-Phenylalanine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-54-5 CAPLUS
 CN L-Tyrosine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-,

methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-55-6 CAPLUS

CN Cyclohexanepropanoic acid, α -[[4-[(4-butylphenyl)methoxy]benzoyl]amino]-, methyl ester, (α S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-60-3 CAPLUS

CN Cyclohexanepropanoic acid, α -[[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, methyl ester, (α S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-61-4 CAPLUS

CN Cyclohexanepropanoic acid, α -[[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, methyl ester, (α S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-62-5 CAPLUS

CN L-Tyrosine, N-[3-[(4-butylphenyl)methoxy]benzoyl]-O-(phenylmethyl)-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-63-6 CAPLUS

CN L-Phenylalanine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-64-7 CAPLUS

CN Cyclohexanepropanoic acid, α -[[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, methyl ester, (α S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814921-67-0 CAPLUS

CN Benzeneacetic acid, α -[[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, methyl ester, (α S)-
(CA INDEX NAME)


Absolute stereochemistry.



RN 814921-69-2 CAPLUS

CN Benzeneacetic acid, α -[[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, methyl ester, (α S)-
(CA INDEX NAME)


Absolute stereochemistry.



RN 814921-70-5 CAPLUS


CN L-Phenylalanine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-, methyl ester (CA INDEX NAME)

Absolute stereochemistry.




RN 814921-73-8 CAPLUS
 CN Benzeneacetic acid, α -[[4-[(4-butylphenyl)methoxy]benzoyl]amino]-, methyl ester, (αS)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814922-14-0 CAPLUS
 CN L-Tyrosine, N-[4-(phenylmethoxy)benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)

Absolute stereochemistry.



RN 814922-29-7 CAPLUS
 CN L-Tyrosine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814922-32-2 CAPLUS

CN L-Tyrosine, N-[4-[(4-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814922-33-3 CAPLUS

CN L-Tyrosine, N-[4-([1,1'-biphenyl]-4-ylmethoxy)benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814922-34-4 CAPLUS

CN L-Tyrosine, N-[4-[(3-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814922-35-5 CAPLUS

CN L-Tyrosine, N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814922-66-2 CAPLUS

CN L-Tyrosine, N-[4-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814922-67-3 CAPLUS


CN L-Tyrosine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814922-69-5 CAPLUS
 CN L-Tyrosine, N-[3-([1,1'-biphenyl]-4-ylmethoxy)benzoyl]-O-(phenylmethyl)-
 (CA INDEX NAME)

Absolute stereochemistry.




RN 814922-70-8 CAPLUS
 CN L-Tyrosine, N-[3-[(3-phenoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA
 INDEX NAME)

Absolute stereochemistry.




RN 814922-72-0 CAPLUS
 CN Cyclohexanepropanoic acid, α -[[3-[(4-butylphenyl)methoxy]benzoyl]amino]-, (α S)- (CA INDEX NAME)

Absolute stereochemistry.



RN 814922-75-3 CAPLUS
 CN L-Phenylalanine, 4-bromo-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-
 (CA INDEX NAME)


Absolute stereochemistry.



RN 814922-76-4 CAPLUS

CN L-Phenylalanine, 4-fluoro-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-
(CA INDEX NAME)


Absolute stereochemistry.



RN 814922-90-2 CAPLUS

CN L-Phenylalanine, N-[4-[(4-butylphenyl)methoxy]benzoyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 814922-91-3 CAPLUS


CN L-Tyrosine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA
INDEX NAME)

Absolute stereochemistry.




RN 814922-92-4 CAPLUS
 CN Cyclohexanepropanoic acid, α -[[4-[(4-butylphenyl)methoxy]benzoyl]amino]-, (α S)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814922-95-7 CAPLUS
 CN Cyclohexanepropanoic acid, α -[[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, (α S)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814922-96-8 CAPLUS
 CN Cyclohexanepropanoic acid, α -[[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, (α S)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814922-97-9 CAPLUS
 CN L-Tyrosine, N-[3-[(4-butylphenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814923-02-9 CAPLUS
 CN Benzeneacetic acid, α -[[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]- (CA INDEX NAME)



RN 814923-03-0 CAPLUS
 CN L-Phenylalanine, N-[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]- (CA INDEX NAME)


Absolute stereochemistry.




RN 814923-04-1 CAPLUS

CN Cyclohexanepropanoic acid, α -[[3-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]-, (α S)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814923-08-5 CAPLUS
CN Benzeneacetic acid, α -[[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]amino]- (CA INDEX NAME)




RN 814923-09-6 CAPLUS
CN L-Phenylalanine, N-[3-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 814923-14-3 CAPLUS
CN Benzeneacetic acid, α -[[4-[(4-butylphenyl)methoxy]benzoyl]amino]- (CA INDEX NAME)




RN 814923-15-4 CAPLUS
 CN L-Tyrosine, N-[4-[(4-butoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814923-19-8 CAPLUS
 CN Cyclohexanepropanoic acid, α -[[4-[(4-butoxyphenyl)methoxy]benzoyl]amino]-, (αS)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814923-20-1 CAPLUS
 CN L-Tyrosine, N-[4-[(2-bromophenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814923-21-2 CAPLUS
 CN L-Tyrosine, N-[4-[(3-bromophenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814923-22-3 CAPLUS
CN L-Tyrosine, N-[4-[(2-chlorophenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA
INDEX NAME)

Absolute stereochemistry.




RN 814923-23-4 CAPLUS
CN L-Tyrosine, N-[4-[(3-chlorophenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA
INDEX NAME)

Absolute stereochemistry.




RN 814923-24-5 CAPLUS
CN L-Tyrosine, N-[4-[(2-fluorophenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA
INDEX NAME)

Absolute stereochemistry.




RN 814923-25-6 CAPLUS
 CN L-Tyrosine, N-[4-[(2-methylphenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)

Absolute stereochemistry.




RN 814923-26-7 CAPLUS
 CN L-Tyrosine, N-[4-[(3-methylphenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)

Absolute stereochemistry.



RN 814923-27-8 CAPLUS
 CN L-Tyrosine, O-(phenylmethyl)-N-[4-[[3-(trifluoromethyl)phenyl]methoxy]benzoyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 814923-28-9 CAPLUS

CN L-Tyrosine, O-(phenylmethyl)-N-[4-[[2-(trifluoromethyl)phenyl]methoxy]benzoyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 814923-29-0 CAPLUS

CN Cyclohexanepropanoic acid, α -[[4-[(3-bromophenyl)methoxy]benzoyl]amino]-, (α S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 814923-30-3 CAPLUS


CN L-Tyrosine, N-[4-[(2-methoxyphenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)

Absolute stereochemistry.



RN 814923-56-3 CAPLUS

CN Tyrosine, N-[4-[[4-(phenylmethoxy)phenyl]methoxy]benzoyl]-O-(phenylmethyl)-
(CA INDEX NAME)




PAGE 1-A

— Ph

PAGE 1-B


RN 814923-57-4 CAPLUS

CN Tyrosine, N-[3-([1,1'-biphenyl]-4-ylmethoxy)benzoyl]-O-(phenylmethyl)-
(CA INDEX NAME)




RN 814923-58-5 CAPLUS

CN Phenylalanine, 4-bromo-N-[4-[[3-(phenylmethoxy)phenyl]methoxy]benzoyl]-
(CA INDEX NAME)




RN 814923-59-6 CAPLUS

CN Tyrosine, N-[4-[(4-butylphenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA
INDEX NAME)




RN 814923-60-9 CAPLUS

CN Cyclohexanepropanoic acid, α -[[4-[(4-butylphenyl)methoxy]benzoyl]amino]- (CA INDEX NAME)




RN 814923-61-0 CAPLUS

CN Tyrosine, N-[4-[(2-bromophenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)




RN 814923-62-1 CAPLUS

CN Tyrosine, N-[4-[(2-chlorophenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)




RN 814923-63-2 CAPLUS

CN Tyrosine, N-[4-[(2-methylphenyl)methoxy]benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)




RN 814923-64-3 CAPLUS

CN Tyrosine, O-(phenylmethyl)-N-[4-[[3-(trifluoromethyl)phenyl]methoxy]benzoyl]- (CA INDEX NAME)



RN 814923-65-4 CAPLUS


CN Tyrosine, O-(phenylmethyl)-N-[4-[[2-(trifluoromethyl)phenyl]methoxy]benzoyl]- (CA INDEX NAME)



RN 814923-67-6 CAPLUS

CN L-Tyrosine, N-[4-([1,1'-biphenyl]-2-ylmethoxy)benzoyl]-O-(phenylmethyl)- (CA INDEX NAME)

Absolute stereochemistry.




IT 814923-53-0P 814923-54-1P 814923-55-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of new benzamides for use in pharmaceutical compns. as peroxisome proliferator-activated receptor γ (PPAR γ) modulators)


RN 814923-53-0 CAPLUS

CN Phenylalanine, N-[4-(phenylmethoxy)benzoyl]- (CA INDEX NAME)




RN 814923-54-1 CAPLUS

CN Phenylalanine, N-[4-[(4-methoxyphenyl)methoxy]benzoyl]- (CA INDEX NAME)



RN 814923-55-2 CAPLUS

CN Phenylalanine, N-[4-[(4-bromophenyl)methoxy]benzoyl]- (CA INDEX NAME)



L5 ANSWER 2 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

IT 769964-88-7P


RL: BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(inhibitors of cathepsin S for use in pharmaceuticals)

RN 769964-88-7 CAPLUS

CN Benzeneacetamide, N-[(1S)-2-[[4-(aminoiminomethyl)phenyl]amino]-1-methylethyl]-2,4-dichloro- α -[[4-(phenylmethoxy)benzoyl]amino]- (CA INDEX NAME)

Absolute stereochemistry.



L5 ANSWER 3 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

IT 768364-63-2P 768364-83-6P 768365-85-1P


RL: BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(inhibitors of cathepsin S for use in disease treatment)

RN 768364-63-2 CAPLUS


CN Benzamide, N-[(1S)-1-(cyclohexylmethyl)-2-[[2-[(4-methoxyphenyl)amino]ethyl]amino]-2-oxoethyl]-4-(phenylmethoxy)- (CA INDEX NAME)

Absolute stereochemistry.




RN 768364-83-6 CAPLUS
CN Benzamide, N-[(1S)-3-cyclohexyl-1-[[2-[(4-methoxyphenyl)amino]ethyl]amino]carbonyl]propyl]-4-(phenylmethoxy)- (CA INDEX NAME)

Absolute stereochemistry.



RN 768365-85-1 CAPLUS
CN Benzamide, N-[(1S)-1-(cyclohexylmethyl)-2-oxo-2-[[2-[[4-(trifluoromethoxy)phenyl]amino]ethyl]amino]ethyl]-4-(phenylmethoxy)- (CA INDEX NAME)

Absolute stereochemistry.



L5 ANSWER 4 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
IT 660826-30-2P 660826-71-1P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU


(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of substituted (2S)-(arylamino)-3-(biphenyl-4-yl)propionic acids as antagonists of factor IX for inhibiting intrinsic pathway of blood coagulation)

RN 660826-30-2 CAPLUS

CN [1,1'-Biphenyl]-4-propanoic acid, α -[[4-(phenylmethoxy)benzoyl]amino]-, (α S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 660826-71-1 CAPLUS

CN [1,1'-Biphenyl]-4-propanoic acid, α -[[4-(phenylmethoxy)benzoyl]amino]-4'-(trifluoromethoxy)-, (α S)- (CA INDEX NAME)

Absolute stereochemistry.



L5 ANSWER 5 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

IT 524048-70-2P 524048-71-3P 524048-72-4P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(identification of novel α -glucosidase inhibitors by screening libraries based on N- [4-(Benzyloxy) benzoyl] alanine derivs.)

RN 524048-70-2 CAPLUS


CN L-Phenylalanine, N-[4-(phenylmethoxy)benzoyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 524048-71-3 CAPLUS
CN L-Phenylalanine, N-[4-[(4-methoxyphenyl)methoxy]benzoyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 524048-72-4 CAPLUS
CN L-Phenylalanine, N-[4-[(4-bromophenyl)methoxy]benzoyl]- (CA INDEX NAME)

Absolute stereochemistry.



L5 ANSWER 6 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
IT 408498-80-6P
RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction)
RN 408498-80-6 CAPLUS
CN L-Phenylalanine, N-[[1-(phenylmethoxy)-2-naphthalenyl]carbonyl]- (CA INDEX NAME)

Absolute stereochemistry.




L5 ANSWER 7 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
IT 331471-15-9P 331471-16-0P 331472-13-0P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);

BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of tyrosine derivs. as inhibitors of α_4 containing
 integrin-mediated binding to ligands VCAM-1 and MAdCAM.)

RN 331471-15-9 CAPLUS

CN 4-Morpholinecarboxylic acid, 4-[(2S)-2-carboxy-2-[[2-[(2-chlorophenyl)methoxy]benzoyl]amino]ethyl]phenyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 331471-16-0 CAPLUS

CN 4-Morpholinecarboxylic acid, 4-[(2S)-2-carboxy-2-[[2-[[2-[(phenylsulfonyl)methyl]phenyl]methoxy]benzoyl]amino]ethyl]phenyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 331472-13-0 CAPLUS

CN 4-Morpholinecarboxylic acid, 4-[(2S)-2-carboxy-2-[[2-[[4-(trifluoromethoxy)phenyl]methoxy]benzoyl]amino]ethyl]phenyl ester (CA INDEX NAME)

Absolute stereochemistry.



L5 ANSWER 8 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

IT 231634-22-3P


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(preparation of quinoline, isoquinoline, cinnoline and amino acid derivs. as antiinflammatory and anti-allergy agents)

RN 231634-22-3 CAPLUS

CN L-Tyrosine, O-(6,7-dimethoxy-4-quinolinyl)-N-[4-methoxy-3-(phenylmethoxy)benzoyl]-, methyl ester (CA INDEX NAME)

Absolute stereochemistry.



IT 231633-99-1P 231634-00-7P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of quinoline, isoquinoline, cinnoline and amino acid derivs. as antiinflammatory and anti-allergy agents)

RN 231633-99-1 CAPLUS

CN L-Tyrosine, O-(1,1-dimethylethyl)-N-[4-methoxy-3-(phenylmethoxy)benzoyl]-, methyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 231634-00-7 CAPLUS

CN L-Tyrosine, N-[4-methoxy-3-(phenylmethoxy)benzoyl]-, methyl ester (CA INDEX NAME)

Absolute stereochemistry.



L5 ANSWER 9 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

IT 186098-58-8


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(preparation of aminothiadiazoletione amino acid and peptide amides as matrix metalloproteinase inhibitors)

RN 186098-58-8 CAPLUS

CN L-Valinamide, N-[4-(phenylmethoxy)benzoyl]-L-phenylalanyl-N-(4,5-dihydro-5-thioxo-1,3,4-thiadiazol-2-yl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L5 ANSWER 10 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

IT 161219-98-3P 161220-01-5P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of parabactin and agrobactin analogs as probes in iron transport of *Paracoccus denitrificans*)

RN 161219-98-3 CAPLUS

CN Benzenepropanamide, N-[4-[[2,3-bis(phenylmethoxy)benzoyl]amino]butyl]-N-[3-[[2,3-bis(phenylmethoxy)benzoyl]amino]propyl]- α -[[2-(phenylmethoxy)benzoyl]amino]-, (S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 161220-01-5 CAPLUS

CN Benzenepropanamide, α -[[2,3-bis(phenylmethoxy)benzoyl]amino]-N-[4-[[2,3-bis(phenylmethoxy)benzoyl]amino]butyl]-N-[3-[[2,3-bis(phenylmethoxy)benzoyl]amino]propyl]-, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L5 ANSWER 11 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN

IT 68939-37-7P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and saponification of)

RN 68939-37-7 CAPLUS


CN L-Phenylalanine, N-[2-(phenylmethoxy)benzoyl]-, methyl ester (CA INDEX NAME)

Absolute stereochemistry.




IT 68939-49-1P 68939-56-0P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 68939-49-1 CAPLUS
 CN L-Phenylalanine, N-[2-(benzyloxy)benzoyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 68939-56-0 CAPLUS
 CN L-Phenylalanine, N-[2-(benzyloxy)benzoyl]-, hydrazide (CA INDEX NAME)


Absolute stereochemistry.




L5 ANSWER 12 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
 IT 20409-11-4P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 20409-11-4 CAPLUS
 CN Alanine, N-[3-(benzyloxy)-2-nitro-p-toluoyl]-3-phenyl-, ethyl ester, DL-
 (8CI) (CA INDEX NAME)




L5 ANSWER 13 OF 13 CAPLUS COPYRIGHT 2009 ACS on STN
 IT 20409-11-4P, Alanine, N-[3-(benzyloxy)-2-nitro-p-toluoyl]-3-phenyl-, ethyl ester 96071-03-3P, Alanine, N-[3-(benzyloxy)-4-methoxy-2-nitrobenzoyl]-3-phenyl-, ethyl ester 97255-51-1P, Alanine, N-[3-(benzyloxy)-2-nitrobenzoyl]-3-phenyl-, ethyl ester
 RL: PREP (Preparation)
 (preparation of)
 RN 20409-11-4 CAPLUS
 CN Alanine, N-[3-(benzyloxy)-2-nitro-p-toluoyl]-3-phenyl-, ethyl ester, DL-(8CI) (CA INDEX NAME)



RN 96071-03-3 CAPLUS
 CN Alanine, N-[3-(benzyloxy)-4-methoxy-2-nitrobenzoyl]-3-phenyl-, ethyl ester (7CI) (CA INDEX NAME)



RN 97255-51-1 CAPLUS
 CN Alanine, N-[3-(benzyloxy)-2-nitrobenzoyl]-3-phenyl-, ethyl ester (7CI) (CA INDEX NAME)



=> log hold
 COST IN U.S. DOLLARS
 FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
67.79	254.37

SESSION WILL BE HELD FOR 120 MINUTES
 STN INTERNATIONAL SESSION SUSPENDED AT 16:56:17 ON 12 MAR 2009